

HI-PE Series

HI-PE Series

HI-100/125/150/200/300PE







Product Feature:


- Small fan body with high performance
- Eco-watt motor: high efficiency and energy savings
- Free speed control: 0-10V/PWM/10V potentiometer
- Jet engine design: high static air pressure and aerodynamically-optimised airflow.

Adapted to any circumstance where ventilation is requested, such as apartments, villa, hotel, hospital, school, etc.

Performance Parameter

Product Code	Voltage (V)	Curent (A)	Power (W)	Speed (RPM)	Airflow (l/s)	Air Pressure (Pa)	Noise (dB)	Net Weight (kg)
FAN1006	100-240	0.5 (max)	28	5700	78	580	60	1.12
FAN1256	100-240	0.5 (max)	27	5700	94	550	60	1.6
FAN1506	100-240	0.8 (max)	50	5000	133	583	57	1.56
FAN2006	100-240	1.4 (max)	90	4000	276	656	60	2.37
FAN2506	100-240	1.85 (max)	175	3600	490	805	65	4.1
FAN3006	100-240	2.94 (max)	300	3200	783	747	75	5.95

HI-PE Series
Performance Curve


HI-PE Series
Dimensions (mm)


Product Code	A	B	C	ØD	E	F	G	K	L	W	H
FAN1006	31	79	4*Ø4.5*6	100	130	31	6	Ø4.5	159	141	141
FAN1256	31	79	4*Ø4.5*6	125	130	31	6	Ø4.5	118	141	143
FAN1506	31	91.5	4*Ø4.5*6	150	155	31	6	Ø4.5	140	167	168
FAN2006	50	116.5	4*Ø4.5*6	200	204	50	6	Ø4.5	170	216	219
FAN2506	50	146.5	4*Ø4.5*6	250	262	50	6	Ø4.5	205	274	274
FAN3006	50	171.5	4*Ø6*8	300	312	50	6	Ø4.5	255	326	324.5